EIKO														
CSPSCR 全鎢鋼超硬直柄機械絞刀														
Solid Carbide Spiral Chucking Reamers														
												▶ 兩端突出型		
												- 144		
右刃左螺旋刃				30 45 20 45			>							
			t	T	T									
										有精度、有品質 低價位、可信賴				
												业 · J IE Ag 單位:mn		
刃徑		刃長	全長	柄徑	刃數	(画(士)枚	刃徑	计应关	刃長	全長	柄徑	刃數		
(D)	許容差	(l)	(L)	(d)	(N)	價(支)格	(D)	許容差	(l)	(L)	(d)	(N)	價(支)格	
1	_	6 8	55 60	1	3 3	2,045.00	2.4		15 15	80	2.4 2.5	4	2,070.00	
1.1		8	60	1.1	3	1,960.00 1,960.00	2.5 2.6		15	80 85	2.5	4	1,875.00 2,580.00	
1.3		8	60	1.3	3	1,960.00	2.7	+0.007	15	85	2.7	4	2,580.00	
1.4		8	60	1.4	3	1,960.00	2.8	+0.002	15	85	2.8	4	2,580.00	
1.5	.0.007	8 12	60	1.5 1.6	3	1,775.00	2.9		15 15	85	2.9 3	4	2,580.00	
1.6 1.7	+0.007	12	70 70	1.0	4		3.1	+0.009 +0.004	15	85 90	3.1	4	2,345.00 2,675.00	
1.8	10.002	12	70	1.8	4		3.2		18	90	3.2	4	2,675.00	
1.9		12	70	1.9	4		3.3		18	90	3.3	4	2,675.00	
2		12	70	2	4		3.4		18	90	3.4	4	2,675.00	
2.1 2.2		15 15	- 80 - 80	2.1	4		3.5		18	90	3.5	4	2,425.00	
2.2		15	80	2.2	4	2, 070.0 0 2,070.00	3.6	1-1-2	20	100	3,6	4	2,845.00	
刃徑		刃長	全長	柄徑	刃數	and the second	刃徑		刃長	全長	柄徑	刃數		
(D)	許容差	(2)	(L)	(d)	(N)	價(支)格	(D)	許容差	(2)	(L)	(d)	(N)	價(支)格	
1.01			55	(0)		2 250 00	2.04						2 4 2 0 0 0	
1.02		6 6	55	1	3 3	2,350.00 2,350.00	2.04		12 12	70 70	2	4	2,420.00 2,420.00	
1.02		6	55	1	3	2,350.00 2,350.00 2,350.00 2,295.00 2,295.00 2,295.00 2,295.00 2,295.00 2,260.00 2,260.00 2,260.00 2,260.00 2,260.00 2,260.00 2,235.00 2,235.00	2.45	-	15	80	2.4	4	2,485.00	
1.04		6	55	1	3		2.46		15	80	2.4	4	2,485.00	
1.05		6	55	1	3		2.47		15	80	2.4	4	2,485.00	
1.45		8 8	60 60	1.4 1.4	3 3		2.48 2.49		15 15	80 80	2.4 2.4	4	2,485.00 2,485.00	
1.40		8	60	1.4	3		2.49		15	80	2.4	4	2,485.00	
1.48		8	60	1.4	3		2.52		15	80	2.5	4	2,710.00	
1.49		8	60	1.4	3		2.53		15	80	2.5	4	2,710.00	
1.51	+0.005	8	60	1.5	3		2.54	+0.005	15	80	2.5	4	2,710.00	
1.52 1.53	0	8 8	60 60	1.5 1.5	3 3		2.55 2.95	0	15 15	80 85	2.5 2.9	4	2,710.00 2,845.00	
1.53		8	60	1.5	3		2.95		15	85	2.9	4	2,845.00	
1.55		8	60	1.5	3		2.97		15	85	2.9	4	2,845.00	
1.95		12	70	1.9	4		2.98		15	85	2.9	4	2,845.00	
1.96		12	70	1.9	4		2.99	-	15	85	2.9	4	2,845.00	
1.97 1.98		12 12	70 70	1.9 1.9	4	2,235.00 2,235.00	3.01 3.02		15 15	85 85	3 3	4	3,125.00 3,125.00	
1.99		12	70	1.9	4	2,235.00	3.02		15	85	3	4	3,125.00	
2.01		12	70	2	4	2,420.00	3.04]	15	85	3	4	3,125.00	
2.02		12	70	2	4	2,420.00	3.05		15	85	3	4	3,125.00	
2.03		12	70	2	4	2,420.00								

絞刀刀具

Reamers

				(EIKO	<u> </u>					
	(CSPS		全鎢銅	鋼超码	更直柄 ucking Rea		絞刀			
			1 p	_				-	兩端中心孔型		
+==+			302	ۍ 45°		9	٦				
石刃在	右刃左螺旋刃										
		1		l ^{±1}	L ^{±1.5}	$\ell_2^{\pm 1.5}$	-		有精度、有品質 低價位、可信賴		
K10 材質::::::::::::::::::::::::::::::::::::	柄徑 h7 直柄	P480					-		單位:mm		
刃徑	許容差	刃長	全長	首徑	柄徑	許容差	柄長	刃數	價(支)格		
(D)		(l)	(L)	(d ₂)	(d)		(l ₂)	(N)			
3.7		20	100	3.6	3.7		32	4	2,845.00		
3.8		20	100	3.7	3.8		32	4	2,845.00		
3.9		20	100	3.8	3.9		32	4	2,845.00		
4		20	100	3.9	4		32	4	2,585.00		
4.1		22	105	4	4.1	了 更 早 -0.012	33	4	3,295.00		
4.2		22	105	4.1	4.2		33	4	3,295.00		
4.3		22	105	4.2	4.3		33	4	3,295.00		
4.4		22	105	4.3	4.4		33	4	3,295.00		
4.5		22	105	4.4	4.5		33	6	2,995.00		
4.6	_	23	110	4.5	4.6		34	6	3,520.00		
4.7		23	110	4.6	4.7		34	6	3,520.00		
4.8	+0.009	23	110	4.7	4.8		34	6	3,520.00		
4.9	+0.004	23	110	4.8	4.9		34	6	3,520.00		
5		23	110	4.9	5	_	34	6	3,195.00		
5.1		26	115	5	5.1		36	6	4,200.00		
5.2	_	26	115	5.1	5.2		36	6	4,200.00		
5.3		26	115	5.2	5.3		36	6	4,200.00		
5.4		26	115	5.3	5.4		36	6	4,200.00		
5.5		26	115	5.4	5.5		36	6	3,820.00		
5.6		26	120	5.5	5.6		36	6	4,285.00		
5.7		26	120	5.6	5.7	-	36	6	4,285.00		
5.8		26	120	5.7	5.8		36	6	4,285.00		
5.9		26	120	5.8	5.9		36	6	4,285.00		
6		26	120	5.9	6		36	6	3,895.00		
6.1		28	125	6	6.1		38	6	4,350.00		
6.2		28	125	6.1	6.2		38	6	4,350.00		
6.3	+0.012 +0.006	28	125	6.2	6.3	0 -0.015	38	6	4,350.00		
6.4	10.000	28	125	6.3	6.4	0.010	38	6	4,350.00		
6.5		28	125	6.4	6.5		38	6	3,950.00		

Reamers

				(EIKO				
		CSP		全鎢銀	調超码	更直柄 ucking Rea		絞刀	
				兩端中心孔型					
右刃左螺旋刃		ם - - -	$\frac{45^{\circ}}{7}$						有精度、有品質 低價位、可信賴
K10 横質····	柄徑 h7 直柄	P480			L ^{±1.5}		_		單位:mm
刃徑		刃長	全長	首徑	柄徑		柄長	刃數	(西(十)+次
(D)	許容差	(L)	(L)	(d ₂)	(d)	許容差	(l ₂)	(N)	價(支)格
3.95		20	100	3.8	3.9		32	4	3,415.00
3.96		20	100	3.8	3.9		32	4	3,415.00
3.97		20	100	3.8	3.9		32	4	3,415.00
3.98		20	100	3.8	3.9		32	4	3,415.00
3.99		20	100	3.8	3.9		32	4	3,415.00
4.01		20	100	3.9	4		32	4	3,625.00
4.02		20	100	3.9	4		32	4	3,625.00
4.03		20	100	3.9	4		32	4	3,625.00
4.04		20	100		AE	至 左百	32	R4	3,625.00
4.05		20	1 100	3.9	4 E	즉 주덧	32	74	3,625.00
4.95		23	110	4.8	4.9		34	6	4,225.00
4.96		23	110	4.8	4.9		34	6	4,225.00
4.97		23	110	4.8	4.9		34	6	4,225.00
4.98	-	23	110	4.8	4.9	_	34	6	4,225.00
4.99	0	23	110	4.8	4.9	0	34	6	4,225.00
5.01	+0.005	23	110	4.9	5	-0.012	34	6	4,625.00
5.02		23	110	4.9	5	-	34	6	4,625.00
5.03		23	110	4.9	5		34	6	4,625.00
5.04		23	110	4.9	5		34	6	4,625.00
5.05		23	110	4.9	5		34	6	4,625.00
5.95		26	120	5.8	5.9		36	6	4,720.00
5.96		26	120	5.8	5.9		36	6	4,720.00
5.97 5.98		26 26	120 120	5.8 5.8	5.9 5.9		36 36	6 6	4,720.00
5.98		26	120	5.8	5.9		36	6	4,720.00 4,720.00
6.01		20	120	5.9	6		36	6	4,795.00
6.02		26	120	5.9	6		36	6	4,795.00
6.03		26	120	5.9	6	-	36	6	4,795.00
6.04		26	120	5.9	6		36	6	4,795.00
6.05		26	120	5.9	6		36	6	4,795.00
0.00		20	120	0.0	Ū		00		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,

絞刀刀具

Reamers